

Trade name: Agrochemica Blue-Spray**Product no.:** SA00660**Current version :** 6.0.0, issued: 16.04.2020**Replaced version:** 5.0.1, issued: 04.04.2019**Region:** GB**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name****Agrochemica Blue-Spray****1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

animal care

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet**Address**

EW Nutrition GmbH

Hogenbögen 1

49429 Visbek

Telephone no. +49 (0)4445 98 68 - 0

Fax no. +49 (0)4445 98 68 - 119

e-mail info@ew-nutrition.com**Information provided by / telephone**

+49 (0)421 5 72 92 - 0

Advice on Safety Data Sheetsdb_info@umco.de**1.4 Emergency telephone number**

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Aerosol 1; H222

Aquatic Chronic 3; H412

Eye Irrit. 2; H319

STOT SE 3; H336

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS02



GHS07

Signal word

Danger

Hazardous component(s) to be indicated on label:

Trade name: Agrochemica Blue-Spray**Product no.:** SA00660**Current version :** 6.0.0, issued: 16.04.2020**Replaced version:** 5.0.1, issued: 04.04.2019**Region:** GB

propan-2-ol

Hazard statement(s)

H222 Extremely flammable aerosol.
 H229 Pressurised container: May burst if heated.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.
 H412 Harmful to aquatic life with long lasting effects.

Hazard statements (EU)

EUH208 Contains carvacrol. May produce an allergic reaction.

Precautionary statement(s)

P101 If medical advice is needed, have product container or label at hand.
 P102 Keep out of reach of children.
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P211 Do not spray on an open flame or other ignition source.
 P251 Do not pierce or burn, even after use.
 P271 Use only outdoors or in a well-ventilated area.
 P280 Wear protective gloves/eye protection/face protection.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P405 Store locked up.
 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
 P501 Dispose of contents/container to a facility in accordance with local and national regulations.

2.3 Other hazards

During and after use possible formation of combustible mixture with solvents.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Hazardous ingredients**

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration %
1	propan-2-ol		
	67-63-0 200-661-7 603-117-00-0 01-2119457558-25	Eye Irrit. 2; H319 Flam. Liq. 2; H225 STOT SE 3; H336	>= 50.00 - < 70.00 % -b.w.
2	butane		
	106-97-8 203-448-7 601-004-00-0 01-2119474691-32	Flam. Gas 1; H220 Press. Gas liq.; H280	>= 25.00 - < 50.00 % -b.w.
3	propane		
	74-98-6 200-827-9 601-003-00-5 01-2119486944-21	Flam. Gas 1; H220 Press. Gas liq.; H280	>= 10.00 - < 25.00 % -b.w.
4	Sorbitan monooleate, ethoxylated		
	9005-65-6 500-019-9 - -	Aquatic Chronic 3; H412	< 5.00 % -b.w.
5	[4-[4-(diethylamino)-alpha-[4-(ethylamino)-1		

Trade name: Agrochemica Blue-Spray**Product no.:** SA00660**Current version :** 6.0.0, issued: 16.04.2020**Replaced version:** 5.0.1, issued: 04.04.2019**Region:** GB

	naphthyl]benzylidene]cyclohexa-2,5-dien-1-ylidene]diethylammonium chloride, C.I. 42595, Basic Blue 7			
	2390-60-5 219-232-0 - -	Acute Tox. 3; H301 Aquatic Acute 1; H400 Eye Dam. 1; H318 Aquatic Chronic 1; H410	< 0.50	%-b.w.
6	carvacrol			
	499-75-2 207-889-6 - -	Acute Tox. 4; H302 Skin Irrit. 2; H315 Skin Sens. 1; H317	< 0.50	%-b.w.

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
2	C, U	-	-	-
3	U	-	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

SECTION 4: First aid measures**4.1 Description of first aid measures****General information**

In all cases of doubt, or when sickness symptoms persist, seek medical attention. If the patient is likely to become unconscious, place and transport in stable sideways position. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Ensure supply of fresh air. Irregular breathing/no breathing: artificial respiration. Remove affected persons from dangerous area by observing suitable respiratory protection measures.

After skin contact

In case of contact with skin wash off with water. Do NOT use solvents or thinners.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes).

After ingestion

Do not induce vomiting. Call a doctor immediately. Never give anything by mouth to an unconscious person. Keep at rest.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Alcohol-resistant foam; Carbon dioxide; Dry chemical extinguisher; Water spray jet

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard. Exposure to heat may cause bursting of the aerosol packagings. In the event of fire, the following can be released: Nitrogen oxides (NO_x); Hydrogen chloride (HCl); Carbon monoxide (CO); Carbon dioxide (CO₂)

5.3 Advice for firefighters

Trade name: Agrochemica Blue-Spray**Product no.:** SA00660**Current version :** 6.0.0, issued: 16.04.2020**Replaced version:** 5.0.1, issued: 04.04.2019**Region:** GB

Appropriate breathing apparatus may be required. Cool endangered containers with water in case of fire. DO NOT ALLOW RUN-OFF FROM FIRE FIGHTING TO ENTER DRAINS OR WATER COURSES; Vapours can form an explosive mixture with air.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Exclude sources of ignition and ventilate the area. Do not inhale vapours. Refer to protective measures listed in sections 7 and 8.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not allow to enter drains. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent - avoid use of solvents.

6.4 Reference to other sections

Information regarding safe handling, see chapter 7. Information regarding personal protective measures, see chapter 8. Information regarding waste disposal, see chapter 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Comply with the health and safety at work laws.

General protective and hygiene measures

Do not eat or drink during work - no smoking.

Advice on protection against fire and explosion

Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air. Take precautionary measures against static charges.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Always keep in containers of same material as the original one. See also instructions on the label. Avoid heating and direct sunlight. Keep container dry in a cool, well-ventilated place.

Recommended storage temperature

Value 20 - 25 °C

Requirements for storage rooms and vessels

Storage rooms must be properly ventilated.

Incompatible products

Keep away from oxidizing agents, from strongly alkaline and strongly acid materials.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7

Trade name: Agrochemica Blue-Spray**Product no.:** SA00660**Current version :** 6.0.0, issued: 16.04.2020**Replaced version:** 5.0.1, issued: 04.04.2019**Region:** GB

	List of approved workplace exposure limits (WELs) / EH40				
	Propan-2-ol				
	WEL short-term (15 min reference period)	1250	mg/m³	500	ppm
	WEL long-term (8-hr TWA reference period)	999	mg/m³	400	ppm
2	butane	106-97-8		203-448-7	
	List of approved workplace exposure limits (WELs) / EH40				
	Butane				
	WEL short-term (15 min reference period)	1810	mg/m³	750	ppm
	WEL long-term (8-hr TWA reference period)	1450	mg/m³	600	ppm
	Comments	Carc, (only applies if Butane contains more than 0.1% of buta-1,3-diene)			

DNEL, DMEL and PNEC values**DNEL values (worker)**

No	Substance name			CAS / EC no
	Route of exposure	Exposure time	Effect	Value
1	propan-2-ol			67-63-0 200-661-7
	dermal	Long term (chronic)	systemic	888 mg/kg/day
	inhalative	Long term (chronic)	systemic	500 mg/m ³

DNEL value (consumer)

No	Substance name			CAS / EC no
	Route of exposure	Exposure time	Effect	Value
1	propan-2-ol			67-63-0 200-661-7
	oral	Long term (chronic)	systemic	26 mg/kg/day
	dermal	Long term (chronic)	systemic	319 mg/kg/day
	inhalative	Long term (chronic)	systemic	89 mg/m ³

PNEC values

No	Substance name		CAS / EC no
	ecological compartment	Type	Value
1	propan-2-ol		67-63-0 200-661-7
	water	fresh water	140.9 mg/L
	water	marine water	140.9 mg/L
	water	fresh water sediment	552 mg/L
	water	marine water sediment	552 mg/L
	water	Aqua intermittent	140.9
	soil	-	28 mg/kg
	sewage treatment plant	-	2251 mg/L
	secondary poisoning	-	160 mg/kg
	with reference to: food		

8.2 Exposure controls**Appropriate engineering controls**

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

Personal protective equipment**Respiratory protection**

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators. Use half-mask model with cartridge or air-fed.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk

Trade name: Agrochemica Blue-Spray**Product no.:** SA00660**Current version :** 6.0.0, issued: 16.04.2020**Replaced version:** 5.0.1, issued: 04.04.2019**Region:** GB

of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves. For prolonged or repeated contact: use barrier creams, which may help to protect the exposed areas of the skin, they should however not be applied once exposure has occurred. Mind the manufacturer recommendations.

Appropriate Material	NBR		
Material thickness		0.4	mm
Breakthrough time	>=	240	min

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Form/Colour		
Aerosol		
blue		
Odour		
of isopropanol		
Odour threshold		
No data available		
pH value		
No data available		
Boiling point / boiling range		
Value	-20	°C
Source	Manufacturer	
Melting point / melting range		
No data available		
Decomposition point / decomposition range		
No data available		
Flash point		
Value	< -20	°C
Source	Manufacturer	
Ignition temperature		
Value	399	°C
Source	Manufacturer	
Auto-ignition temperature		
No data available		
Oxidising properties		
No data available		
Explosive properties		
No data available		
Flammability (solid, gas)		
No data available		
Lower flammability or explosive limits		
Value	2	% vol
Source	Manufacturer	

Trade name: Agrochemica Blue-Spray**Product no.:** SA00660**Current version :** 6.0.0, issued: 16.04.2020**Replaced version:** 5.0.1, issued: 04.04.2019**Region:** GB**Upper flammability or explosive limits**

Value	12.5	% vol
Source	Manufacturer	

Vapour pressure

No data available

Vapour density

No data available

Evaporation rate

No data available

Relative density

No data available

Density

Value	0.71	g/cm ³
Source	Manufacturer	

Solubility in water

Source	Manufacturer
Comments	partially miscible

Solubility(ies)

No data available

Partition coefficient: n-octanol/water

No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
log Pow		0.05	
Reference temperature		25	°C
Source	ECHA		

Viscosity

No data available

9.2 Other information**Other information**

No data available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.6 Hazardous decomposition products

No data available.

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute oral toxicity (result of the ATE calculation for the mixture)**

Trade name: Agrochemica Blue-Spray**Product no.:** SA00660**Current version :** 6.0.0, issued: 16.04.2020**Replaced version:** 5.0.1, issued: 04.04.2019**Region:** GB

No	Product Name
1	Agrochemica Blue-Spray
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
LD50		5840	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	[4-[4-(diethylamino)-alpha-[4-(ethylamino)-1-naphthyl]benzylidene]cyclohexa-2,5-dien-1-ylidene]diethylammonium chloride, C.I. 42595, Basic Blue 7	2390-60-5	219-232-0
LD50		100	mg/kg bodyweight
Species	rat		
Source	Manufacturer		

Acute dermal toxicity			
No data available			

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
LC50		10000	ppmV
Duration of exposure		6	h
State of aggregation	Gas		
Species	rat		
Method	OECD 403		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	propane	74-98-6	200-827-9
LC50		800000	ppmV
Duration of exposure		0.25	h
State of aggregation	Gas		
Species	rat		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
Species	rabbit		
Source	ECHA		
Evaluation	non-irritant		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	[4-[4-(diethylamino)-alpha-[4-(ethylamino)-1-naphthyl]benzylidene]cyclohexa-2,5-dien-1-ylidene]diethylammonium chloride, C.I. 42595, Basic Blue 7	2390-60-5	219-232-0
Species	rabbit		
Source	Manufacturer		
Evaluation	non-irritant		

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.

Trade name: Agrochemica Blue-Spray**Product no.:** SA00660**Current version :** 6.0.0, issued: 16.04.2020**Replaced version:** 5.0.1, issued: 04.04.2019**Region:** GB

1	propan-2-ol	67-63-0	200-661-7
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	irritant		
Evaluation/classification	Based on available data, the classification criteria are met.		
2	[4-[4-(diethylamino)-alpha-[4-(ethylamino)-1-naphthyl]benzylidene]cyclohexa-2,5-dien-1-ylidene]diethylammonium chloride, C.I. 42595, Basic Blue 7	2390-60-5	219-232-0
Species	rabbit		
Source	Manufacturer		
Evaluation	Irreversible effects on the eye		

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
Route of exposure	Skin		
Species	guinea pig		
Method	OECD 406		
Source	ECHA		
Evaluation	non-sensitizing		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	[4-[4-(diethylamino)-alpha-[4-(ethylamino)-1-naphthyl]benzylidene]cyclohexa-2,5-dien-1-ylidene]diethylammonium chloride, C.I. 42595, Basic Blue 7	2390-60-5	219-232-0
Route of exposure	Skin		
Species	guinea pig		
Method	maximization test		
Source	Manufacturer		
Evaluation	non-sensitizing		

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	butane	106-97-8	203-448-7
Type of examination	In vitro Mammalian Chromosomal Aberration Test		
Species	Human Lymphocyte		
Method	OECD 473		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Type of examination	in vitro gene mutation study in bacteria		
Species	Salmonella typhimurium		
Method	OECD 471		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
3	propane	74-98-6	200-827-9
Route of exposure	inhalational		
Species	Salmonella typhimurium		
Method	OECD 471		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	butane	106-97-8	203-448-7
Route of exposure	inhalational		
Species	rat		

Trade name: Agrochemica Blue-Spray**Product no.:** SA00660**Current version :** 6.0.0, issued: 16.04.2020**Replaced version:** 5.0.1, issued: 04.04.2019**Region:** GB

Method	OECD 422
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
2	propane
	74-98-6
	200-827-9
Route of exposure	inhalational
Species	rat
Method	OECD 422
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Carcinogenicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No	Substance name	CAS no.	EC no.
1	butane	106-97-8	203-448-7
Route of exposure	inhalational		
Species	rat		
Method	OECD 422		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	propane	74-98-6	200-827-9
Route of exposure	inhalational		
Species	rat		
Method	OECD 422		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Aspiration hazard

No data available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Exposure to component solvents vapours concentration in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin. The liquid splashed in the eyes may cause irritation and reversible damage.

Other information

The product was classified on the basis of the calculation procedure of the regulation (EC) No 1272/2008 (CLP).

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
LC50		9640	mg/l
Duration of exposure		96	h
Species	Pimephales promelas		
Method	OECD 203		
Source	ECHA		
2	[4-[4-(diethylamino)-alpha-[4-(ethylamino)-1-naphthyl]benzylidene]cyclohexa-2,5-dien-1-ylidene]diethylammonium chloride, C.I. 42595, Basic Blue 7	2390-60-5	219-232-0
LC50		0.03	mg/l
Duration of exposure		96	h

Trade name: Agrochemica Blue-Spray**Product no.:** SA00660**Current version :** 6.0.0, issued: 16.04.2020**Replaced version:** 5.0.1, issued: 04.04.2019**Region:** GB

Species	Leuciscus idus
Method	DIN 38 412, Part 15
Source	Manufacturer

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)

No	Substance name	CAS no.	EC no.
1	[4-[4-(diethylamino)-alpha-[4-(ethylamino)-1-naphthyl]benzylidene]cyclohexa-2,5-dien-1-ylidene]diethylammonium chloride, C.I. 42595, Basic Blue 7	2390-60-5	219-232-0
EC50		0.015	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	DIN 38412 T.11		
Source	Manufacturer		

Toxicity to Daphnia (chronic)

No data available

Toxicity to algae (acute)

No	Substance name	CAS no.	EC no.
1	[4-[4-(diethylamino)-alpha-[4-(ethylamino)-1-naphthyl]benzylidene]cyclohexa-2,5-dien-1-ylidene]diethylammonium chloride, C.I. 42595, Basic Blue 7	2390-60-5	219-232-0
EC50		2.91	mg/l
Duration of exposure		96	h
Species	Scenedesmus subspicatus		
Method	DIN 38412 T.9		
Source	Manufacturer		

Toxicity to algae (chronic)

No data available

Bacteria toxicity

No	Substance name	CAS no.	EC no.
1	[4-[4-(diethylamino)-alpha-[4-(ethylamino)-1-naphthyl]benzylidene]cyclohexa-2,5-dien-1-ylidene]diethylammonium chloride, C.I. 42595, Basic Blue 7	2390-60-5	219-232-0
EC50		14	mg/l
Species	Pseudomonas putida		
Method	DIN 38412 T.27		
Source	Manufacturer		

12.2 Persistence and degradability**Biodegradability**

No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
Type	BOD/COD		
Value		53	%
Duration		5	day(s)
Source	ECHA		
Evaluation	readily biodegradable		

12.3 Bioaccumulative potential**Partition coefficient: n-octanol/water**

No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
log Pow		0.05	

Trade name: Agrochemica Blue-Spray**Product no.:** SA00660**Current version :** 6.0.0, issued: 16.04.2020**Replaced version:** 5.0.1, issued: 04.04.2019**Region:** GB

Reference temperature	25	°C
Source	ECHA	

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

No data available.

12.7 Other information**Other information**

There are no data available on the preparation itself. For components which are dangerous for the environment see section 3.

The product should not be allowed to enter drains or water courses.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

SECTION 14: Transport information**14.1 Transport ADR/RID/ADN**

Class	2
Classification code	5F
UN number	UN1950
Proper shipping name	AEROSOLS
Tunnel restriction code	D
Label	2.1

14.2 Transport IMDG

Class	2
UN number	UN1950
Proper shipping name	AEROSOLS
EmS	F-D, S-U
Label	2.1
Comments	The outer packings (boxes or cartons) should comply with the Regulations of Packing Group II at least.

14.3 Transport ICAO-TI / IATA

Class	2.1
UN number	UN1950
Proper shipping name	Aerosols, flammable
Label	2.1
Comments	The outer packings (boxes or cartons) should comply with the Regulations of Packing Group II (IATA-Regulation 5.2 PI203).

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

Trade name: Agrochemica Blue-Spray**Product no.:** SA00660**Current version :** 6.0.0, issued: 16.04.2020**Replaced version:** 5.0.1, issued: 04.04.2019**Region:** GB**14.6 Special precautions for user**

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annexe XVII.

No 3

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category:

P3a

Directive 2010/75/EU on industrial emissions (integrated pollution prevention and control)

VOC content

94.935 %

VOC-value

674.01 g/l

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information**Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No

Trade name: Agrochemica Blue-Spray

Product no.: SA00660

Current version : 6.0.0, issued: 16.04.2020

Replaced version: 5.0.1, issued: 04.04.2019

Region: GB

1272/2008, Annex VI)

C

Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

U

When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case.

Department issuing safety data sheet

UMCO GmbH

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 28371