

Safety data sheet according to UK REACH

Printing date 22.09.2025

Version number 1

Revision: 22.09.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
 - **Trade name: Technovit 2 Protect**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
 - **Application of the substance / the mixture** Animal treatment preparation
- **1.3 Details of the supplier of the safety data sheet**
 - **Manufacturer/Supplier:**
Kulzer GmbH
Leipziger Straße 2, 63450 Hanau (Germany)
Tel.: +49 (0)6181 9689-2570 (Wehrheim)
 - **Informing department:** email: technik.wehrheim@kulzer-dental.com
- **1.4 Emergency telephone number:** Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
 - **Classification according to Regulation (EC) No 1272/2008**

Aerosol 1	H222-H229	Extremely flammable aerosol. Pressurised container: May burst if heated.
Skin Irrit. 2	H315	Causes skin irritation.
Eye Irrit. 2	H319	Causes serious eye irritation.
Skin Sens. 1	H317	May cause an allergic skin reaction.
STOT SE 3	H336	May cause drowsiness or dizziness.
Aquatic Chronic 2	H411	Toxic to aquatic life with long lasting effects.

- **2.2 Label elements**
 - **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the GB CLP regulation.
 - **Hazard pictograms**



GHS02 GHS07 GHS09

- **Signal word** Danger
- **Hazard-determining components of labelling:**
Tea tree oil
propan-2-ol
- **Hazard statements**
H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H336 May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lasting effects.
- **Precautionary statements**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.

(Contd. on page 2)

GB

Safety data sheet according to UK REACH

Printing date 22.09.2025

Version number 1

Revision: 22.09.2025

Trade name: Technovit 2 Protect

(Contd. of page 1)

P280 Wear protective gloves / eye protection / face protection.

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

· 2.3 Other hazards -

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: -

· Dangerous components:

CAS: 115-10-6 EINECS: 204-065-8 Index number: 603-019-00-8	dimethyl ether Flam. Gas 1A, H220 Press. Gas (Comp.), H280	70-<80%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336	5-<10%
CAS: 1314-13-2 EINECS: 215-222-5 Index number: 030-013-00-7 Reg.nr.: 01-2119463881-32-xxxx	zinc oxide Aquatic Acute 1, H400; Aquatic Chronic 1, H410	5-<10%
CAS: 85085-48-9 EINECS: 285-377-1	Tea tree oil Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 ATE: LD50 oral: 500 mg/kg LC50/4 h inhalative: 11 mg/l	5-<10%

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information

Personal protection for the First Aider.

Take affected persons into the open air.

Instantly remove any clothing soiled by the product.

· After inhalation

In case of unconsciousness bring patient into stable side position for transport.

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

· After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

· After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

(Contd. on page 3)

**Safety data sheet
according to UK REACH**

Printing date 22.09.2025

Version number 1

Revision: 22.09.2025

Trade name: Technovit 2 Protect

(Contd. of page 2)

- **After swallowing**
Rinse out mouth and then drink plenty of water.
In case of persistent symptoms consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** Allergic reactions
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
 - **Suitable extinguishing agents**
CO₂, extinguishing powder or water jet. Fight larger fire with alcohol-resistant foam.
 - **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture**
Formation of poisonous gases during heating or in fires.
Carbon dioxide (CO₂)
Carbon monoxide (CO)
- **5.3 Advice for firefighters**
 - **Protective equipment:**
Wear self-contained breathing apparatus.
(EN 133)

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Do not breathe vapor / mist / gas.
Ensure adequate ventilation
Keep away from ignition sources
Avoid contact with eyes and skin.
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Prevent material from reaching sewage system, holes and cellars.
Damp down gases/fumes/haze with water spray jet.
Keep dirty washing water for appropriate disposal.
- **6.3 Methods and material for containment and cleaning up:**
Dispose of the material collected according to regulations.
Ensure adequate ventilation.
Send for recovery or disposal in suitable containers.
Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Keep containers tightly sealed.
Avoid contact with eyes and skin.
Do not breathe vapor / mist / gas.
Ensure good ventilation/exhaustion at the workplace.
Ensure good ventilation/exhaustion at the workplace.
Keep away from heat and direct sunlight.
Open and handle container with care.

(Contd. on page 4)

GB

**Safety data sheet
 according to UK REACH**

Printing date 22.09.2025

Version number 1

Revision: 22.09.2025

Trade name: Technovit 2 Protect

(Contd. of page 3)

Information about protection against explosions and fires:

- Fumes can combine with air to form an explosive mixture.
- Use explosion-proof apparatus / fittings and spark-proof tools.
- Avoid UV radiation/sunlight.
- Use only in explosion-proof area.
- Protect from heat.
- Keep ignition sources away - Do not smoke.
- Protect against electrostatic charges.
- Beware: Container is pressurized. Keep away from direct sun exposure and temperatures over 50°C. Do not open by force or throw into fire even after use.
- Do not spray on flames or red-hot objects.

Handling

- do not mix with
- Strong oxidizers

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and containers:

- Store in cool location.
- Do not store at temperatures above 40 °C (104 °F).
- Store only in the original container.
- Keep away from heat.
- Observe official regulations on storing packagings with pressurised containers.

Information about storage in one common storage facility:

- Store away from flammable substances.
- Store away from oxidising agents.

Further information about storage conditions:

- Do not seal container gastight.
- Store container in a well ventilated position.
- Store in cool, dry conditions in well sealed containers.
- Store in a cool place. Heat will increase pressure and may lead to the container exploding.
- Protect from heat and direct sunlight.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with critical values that require monitoring at the workplace:

115-10-6 dimethyl ether

WEL (Great Britain)	Short-term value: 958 mg/m ³ , 500 ppm Long-term value: 766 mg/m ³ , 400 ppm
IOELV (European Union)	Long-term value: 1920 mg/m ³ , 1000 ppm

67-63-0 propan-2-ol

WEL (Great Britain)	Short-term value: 1250 mg/m ³ , 500 ppm Long-term value: 999 mg/m ³ , 400 ppm
---------------------	--

DNELs

67-63-0 propan-2-ol

Oral	general population, long term, systemic	26 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	888 mg/Kg/d (not defined)
	general population, long term, systemic	319 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	500 mg/m ³ (not defined)

(Contd. on page 5)

**Safety data sheet
according to UK REACH**

Printing date 22.09.2025

Version number 1

Revision: 22.09.2025

Trade name: Technovit 2 Protect

(Contd. of page 4)

	general population, long term, systemic	89 mg/m3 (not defined)
85085-48-9 Tea tree oil		
Oral	general population, acute, systemic	0.067 mg/Kg (not defined)
	general population, long term, systemic	0.067 mg/Kg (not defined)
Dermal	worker industrial, acute, systemic	4.356 mg/Kg/d (not defined)
	worker industrial, long term, systemic	4.356 mg/Kg/d (not defined)
	general population, acute, systemic	1.556 mg/Kg/d (not defined)
	general population, long term, systemic	1.556 mg/Kg/d (not defined)
Inhalative	worker industrial, acute, systemic	0.658 mg/m3 (not defined)
	worker industrial, long term, systemic	0.658 mg/m3 (not defined)
	general population, acute, systemic	0.296 mg/m3 (not defined)
	general population, long term, systemic	0.296 mg/m3 (not defined)

· PNECs

115-10-6 dimethyl ether

freshwater	0.155 mg/l (not defined)
marine water	0.016 mg/l (not defined)
sewage treatment plant	160 mg/l (not defined)
sediment, dry weight, freshwater	0.681 mg/Kg (not defined)
sediment, dry weight, marine water	0.069 mg/Kg (not defined)
soil, dry weight	0.045 mg/Kg (not defined)

1314-13-2 zinc oxide

freshwater	0.0179 mg/l (not defined)
marine water	0.009 mg/l (not defined)
sewage treatment plant	0.1245 mg/l (not defined)
sediment, dry weight, freshwater	182.8 mg/Kg (not defined)
sediment, dry weight, marine water	201.9 mg/Kg (not defined)
soil, dry weight	103.4 mg/Kg (not defined)

85085-48-9 Tea tree oil

freshwater	0.008 mg/l (not defined)
marine water	0.001 mg/l (not defined)
sewage treatment plant	2.57 mg/l (not defined)
sediment, dry weight, freshwater	37.11 mg/Kg (not defined)
sediment, dry weight, marine water	3.711 mg/Kg (not defined)
soil, dry weight	7.42 mg/Kg (not defined)

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures

- Wash hands during breaks and at the end of the work.
- Avoid contact with the eyes and skin.
- Instantly remove any soiled and impregnated garments.
- The usual precautionary measures should be adhered to in handling the chemicals.
- Do not inhale gases / fumes / aerosols.

· Breathing equipment:

- Use breathing protection in case of insufficient ventilation.
- filter: ABEK

(Contd. on page 6)

**Safety data sheet
according to UK REACH**

Printing date 22.09.2025

Version number 1

Revision: 22.09.2025

Trade name: Technovit 2 Protect

(Contd. of page 5)

· Hand protection

Check protective gloves prior to each use for their proper condition.

chemical protection gloves are suitable, which are tested according to EN 374

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

>0,7 mm

NBR: acrylonitrile-butadiene rubber

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

120min

· Eye/face protection eye protection (EN 166)

· Body protection: Light weight protective clothing

· Environmental exposure controls

Do not allow to enter the ground/soil.

Do not allow to enter drainage system, surface or ground water.

SECTION 9: Physical and chemical properties
· 9.1 Information on basic physical and chemical properties
· General Information
· Physical state

Aerosol

· Colour:

blue green

· Smell:

Characteristic

· Odour threshold:

Not determined.

· Melting point/freezing point:

Not determined

· Boiling point or initial boiling point and boiling range

-24.9 °C (115-10-6 dimethyl ether)

· Flammability

Not applicable.

· Lower and upper explosion limit
· Lower:

3 Vol % (115-10-6 dimethyl ether)

· Upper:

18.6 Vol % (115-10-6 dimethyl ether)

· Flash point:

13 °C

· Auto-ignition temperature:

425 °C

· Decomposition temperature:

Not determined.

· SADT
· pH

Not determined.

· Viscosity:
· Kinematic viscosity

Not determined.

· dynamic:

Not determined.

· Solubility
· Water:

Not determined.

· Partition coefficient n-octanol/water (log value)

Not determined.

· Steam pressure at 20 °C:

4,000-5,000 hPa

(Contd. on page 7)

GB

**Safety data sheet
according to UK REACH**

Printing date 22.09.2025

Version number 1

Revision: 22.09.2025

Trade name: Technovit 2 Protect

(Contd. of page 6)

<ul style="list-style-type: none"> · Density and/or relative density · Density at 20 °C · Relative density · Vapour density 	<p>0.75 g/cm³ Not determined. Not determined.</p>
<ul style="list-style-type: none"> · 9.2 Other information · Appearance: · Form: · Important information on protection of health and environment, and on safety. · Self-inflammability: · Explosive properties: · Change in condition · Evaporation rate 	<p>No further relevant information available. Aerosol Product is not selfigniting. Product is not explosive. Not determined. Not applicable.</p>
<ul style="list-style-type: none"> · Information with regard to physical hazard classes · Explosives · Flammable gases · Aerosols · Oxidising gases · Gases under pressure · Flammable liquids · Flammable solids · Self-reactive substances and mixtures · Pyrophoric liquids · Pyrophoric solids · Self-heating substances and mixtures · Substances and mixtures, which emit flammable gases in contact with water · Oxidising liquids · Oxidising solids · Organic peroxides · Corrosive to metals · Desensitised explosives 	<p>Void Void Extremely flammable aerosol. Pressurised container: May burst if heated. Void Void Void Void Void Void Void Void Void Void Void Void Void Void Void Void Void Void</p>

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
 - **Conditions to be avoided:**
No decomposition if used and stored according to specifications.
Protect from heat and direct sunlight.
Keep ignition sources away - Do not smoke.
- **10.3 Possibility of hazardous reactions** Danger of bursting
- **10.4 Conditions to avoid** Heat, flames and sparks.
- **10.5 Incompatible materials:** Strong oxidizers
- **10.6 Hazardous decomposition products:** None

GB

(Contd. on page 8)

Safety data sheet according to UK REACH

Printing date 22.09.2025

Version number 1

Revision: 22.09.2025

Trade name: Technovit 2 Protect

(Contd. of page 7)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values that are relevant for classification:**

67-63-0 propan-2-ol

Oral	LD50	5,840 mg/kg (rat) (OECD 401)
Dermal	LD50	>12,800 mg/kg (rabbit) (OECD 402)
Inhalative	LC0	≥10,000 ppm /6h (rat) (OECD 403)

1314-13-2 zinc oxide

Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)
Inhalative	LC50/4 h	>5.7 mg/l (rat) (OECD 403)

85085-48-9 Tea tree oil

Oral	LD50	500 mg/kg (ATE)
Dermal	LD50	>2,000 mg/kg (rab) (OECD 402)
Inhalative	LC50/4 h	11 mg/l (ATE)

- **Primary irritant effect:**

- **Skin corrosion/irritation** Causes skin irritation.

- **Serious eye damage/irritation** Causes serious eye irritation.

- **Respiratory or skin sensitisation** May cause an allergic skin reaction.

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

- **Carcinogenicity** Based on available data, the classification criteria are not met.

- **Reproductive toxicity** Based on available data, the classification criteria are not met.

- **STOT-single exposure** May cause drowsiness or dizziness.

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.

- **Aspiration hazard** Based on available data, the classification criteria are not met.

11.2 Information on other hazards

- **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

- **Aquatic toxicity:**

115-10-6 dimethyl ether

EC50/48h	>4,400 mg/l (daphnia)
LC50/96h	>4,100 mg/l (fish)
NOEC / 96h	≥4,100 mg/l (fish)
NOEC / 48h	>4,400 mg/l (daphnia)

67-63-0 propan-2-ol

LC50/96h	9,640 mg/l (fish) (OECD 203)
LC50/24h	>10,000 mg/L (daphnia) (OECD 202)

1314-13-2 zinc oxide

EC50/48h	0.135 mg/l (daphnia)
LC50/96h	0.102 mg/l (fish)
ErC50 / 72 h	0.185 mg/l (algae) (OECD 201)

(Contd. on page 9)

GB

**Safety data sheet
 according to UK REACH**

Printing date 22.09.2025

Version number 1

Revision: 22.09.2025

Trade name: Technovit 2 Protect

(Contd. of page 8)

NOEC/ 32d	0.026 mg/L (fish)
ErC10	0.014 mg/L /21d (daphnia) (OECD 211)
85085-48-9 Tea tree oil	
LL50/96h	7.75 mg/L (fish) (EU C.1)
EL50/48h	13.6 mg/L (daphnia) (EU C2.)
ErC50 / 72 h	>80 mg/l (algae) (OECD 201)
ErC10/72h	27.34 mg/L (algae) (OECD 201)
NOELR	20 mg/L /96h (algae) (EU C.3)
	10 mg/L /48h (daphnia) (EU C2.)

12.2 Persistence and degradability

115-10-6 dimethyl ether

Biodegradation 5 % /28d (not defined) (OECD 301D)

67-63-0 propan-2-ol

Biodegradation 53 % /5d (not defined) (EU C.5)

85085-48-9 Tea tree oil

Biodegradation 82.8 % /28d (not defined)

- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
 The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
 - **Remark:** Toxic for fish
 - **Additional ecological information:**
 - **General notes:**
 Danger to drinking water if even small quantities leak into soil.
 Also poisonous for fish and plankton in water bodies.
 Do not allow product to reach ground water, water bodies or sewage system.
 Toxic for aquatic organisms

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
 - **Recommendation**
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Disposal must be made according to official regulations.
 - **Uncleaned packagings:**
 - **Recommendation:**
 Disposal must be made according to official regulations.
 Non contaminated packagings can be used for recycling.

GB
 (Contd. on page 10)

**Safety data sheet
according to UK REACH**

Printing date 22.09.2025

Version number 1

Revision: 22.09.2025

Trade name: Technovit 2 Protect

(Contd. of page 9)

SECTION 14: Transport information

· 14.1 UN number or ID number
· ADR, IMDG, IATA

UN1950

· 14.2 UN proper shipping name
· ADR
· IMDG
· IATA

1950 AEROSOLS
AEROSOLS, MARINE POLLUTANT
AEROSOLS, flammable

· 14.3 Transport hazard class(es)
· ADR



· Class
· Label

2 5F Gases.
2.1

· IMDG



· Class
· Label

2.1 Gases.
2.1

· IATA



· Class
· Label

2.1 Gases.
2.1

· 14.4 Packing group
· ADR, IMDG, IATA

Void

· 14.5 Environmental hazards:
· Marine pollutant:
· Special marking (ADR):

Symbol (fish and tree)
Symbol (fish and tree)

· 14.6 Special precautions for user
· Kemler Number:
· EMS Number:
· Stowage Code

Warning: Gases.

· Segregation Code

-
F-D,S-U
SW1 Protected from sources of heat.
SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
SG69 For AEROSOLS with a maximum capacity of 1 litre:
Segregation as for class 9. Stow "separated from" class 1 except for division 1.4.
For AEROSOLS with a capacity above 1 litre:

(Contd. on page 11)

**Safety data sheet
according to UK REACH**

Printing date 22.09.2025

Version number 1

Revision: 22.09.2025

Trade name: Technovit 2 Protect

(Contd. of page 10)

Segregation as for the appropriate subdivision of class 2.
For WASTE AEROSOLS:
Segregation as for the appropriate subdivision of class 2.

· **14.7 Maritime transport in bulk according to IMO instruments** *Not applicable.*

· **Transport/Additional information:** -

· **ADR**

· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· Transport category	2
· Tunnel restriction code	D

· **IMDG**

· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity

· **UN "Model Regulation":** UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Poisons Act**

· **Regulated explosives precursors**

None of the ingredients is listed.

· **Regulated poisons**

None of the ingredients is listed.

· **Reportable explosives precursors**

None of the ingredients is listed.

· **Reportable poisons**

None of the ingredients is listed.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Seveso category**

P3a FLAMMABLE AEROSOLS

E2 Hazardous to the Aquatic Environment

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 150 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t

· **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (UK ANNEX XIV)**

· **Information about limitation of use:**

Employment restrictions concerning young persons must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 12)

Safety data sheet according to UK REACH

Printing date 22.09.2025

Version number 1

Revision: 22.09.2025

Trade name: Technovit 2 Protect

(Contd. of page 11)

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H336 May cause drowsiness or dizziness.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

· **Abbreviations and acronyms:**

- SADT: Self Accelerating Decomposition Temperature
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (UK REACH)
- PNEC: Predicted No-Effect Concentration (UK REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- ATE: Acute toxicity estimate values
- Flam. Gas 1A: Flammable gases – Category 1A
- Aerosol 1: Aerosols – Category 1
- Press. Gas (Comp.): Gases under pressure – Compressed gas
- Flam. Liq. 2: Flammable liquids – Category 2
- Flam. Liq. 3: Flammable liquids – Category 3
- Acute Tox. 4: Acute toxicity – Category 4
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- Skin Sens. 1: Skin sensitisation – Category 1
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- Asp. Tox. 1: Aspiration hazard – Category 1
- Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
- Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· **Sources**

- The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended).
- The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended).
- GB mandatory classification and labelling.
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR).
- Regulations concerning the International Carriage of Dangerous Goods by Rail (RID).
- International Maritime Dangerous Goods Code (IMDG).
- Dangerous Goods Regulations (DGR) for the air transport (IATA).