


# DeciMax<sup>®</sup> Wax Blocks



**RODENTICIDE**  
**SOLID**

**Kills Norway and Roof Rats and House Mice with a single feeding**  
**Kills Warfarin-Resistant Norway Rats**



ACTIVE INGREDIENT: Bromadiolone .....0.005 %  
Contains 1,2-benzisothiazolin-3-one at 0.0466% as a preservative.  
Contains denatonium benzoate at 0.001%

REGISTRATION NO. 34192 PEST CONTROL PRODUCTS ACT

**KEEP OUT OF REACH OF CHILDREN**  
**READ THE LABEL BEFORE USING**  
**WARNING, CONTAINS THE ALLERGENS WHEAT AND MILK**

Only to be used by certified pest control operators, farmers and persons authorized in government-approved pest control programs.

Neogen<sup>®</sup> Corporation  
620 Leshar Place  
Lansing, Michigan 48912 U.S.A.  
1-800-621-8829

Neogen<sup>®</sup> Canada  
21 College Ave. West  
Guelph, Ontario N1G 1R7 Canada  
L7654-1221 ENG

Only to be used by certified pest control operators, farmers and persons authorized in government-approved pest control programs.

**WARNING**



**POISON**

See Back Panel for additional  
precautionary labeling.



**Net Contents:**  
**4 kg**

#### DIRECTIONS FOR USE:

Use DeciMax Wax Blocks for the control of Norway rats, Roof rats and House mice indoors and outdoors within 15 metres of buildings (residential, commercial, industrial, agricultural, public buildings and port or terminal buildings). Rodenticide bait can be placed in tamper-resistant bait stations along the fence line of properties, outside of the 15-metre limit but within 100 metres of buildings, if the station is securely fastened (e.g., nailed down) to the fence or the ground.

Users should remove clothing immediately if pesticide gets inside. Then wash skin thoroughly and put on clean clothing.

#### Use Limitations:

Bait **MUST** be placed either in tamper-resistant bait stations or in locations not accessible to children, pets, livestock or non-target wildlife. **DO NOT** place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

Bait stations (tier 3) used for the placement of rodenticide bait indoors, in locations not accessible to pets or livestock must have the following characteristics: (1) be constructed of high-strength material (e.g., metal or injection moulded plastic) and resistant to destruction by children; (2) have an entrance designed so that children cannot reach the bait; (3) have an internal structure that prevents bait from being shaken loose; (4) have an access panel that fastens securely and locks (e.g., metal screw or padlock); and (5) bear the product name, guarantee, registration number, "WARNING POISON", and the skull and crossbones symbol.

Bait stations (tier 2) used for the placement of rodenticide bait indoors, in locations accessible to pets or livestock must have the following characteristics, in addition to those outlined above for tier 3 bait stations: (1) resistant to destruction by non-target animals; and (2) have an entrance designed so that non-target animals cannot reach the bait.

Bait applied outdoors and above-ground **MUST** be placed in bait stations. Bait stations (tier 1) used outdoors, above-ground, in locations accessible to children, pets and non-target wildlife must have the following characteristic, in addition to those outlined above for tier 2 and 3 bait stations: (1) be resistant to destruction or weakening by elements of typical non-catastrophic weather (such as, snow, rain, extremes of temperature and humidity, direct sunshine, etc.).

#### Areas of Use:

Food Processing, Food Manufacturing, Food Storage and Food Service Areas: **DO NOT** place bait in areas where

there is a possibility of contaminating food or surfaces that come in direct contact with food.

- For areas not directly related to food processing: Use only in non-food or non-feed area where feed, food, packaging and handling equipment are never opened or exposed.
- For areas where feed or food is processed, served, or stored: In meat and food processing plants (processing areas), use only when plant is not in operation. Remove or cover all food, packaging material and utensils before placing bait in baiting stations. Remove all baits and dead rodents before reuse of the plant (processing areas include storage and service).

**Selection of Treatment Areas:** Determine areas where Norway and/or roof rats and/or house mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, beside burrows, in corners and concealed places, between floors and walls, or in locations where signs of rats and mice have been seen. Remove as much alternative food as possible. Maintain a steady supply of fresh bait. Protect bait from rain and snow. Remove any spoiled or contaminated bait promptly.

#### APPLICATION DIRECTIONS:

Each block of DeciMax Wax Blocks contains approximately 28 grams of bait. Eliminate as much of the naturally occurring food as possible within the treatment area.

**NORWAY AND ROOF RATS:** Apply 3 to 15 blocks per placement for controlling Norway and Roof rats. Space placements 5 to 10 m apart. Use higher rate in areas with signs of high rat activity. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease.

**HOUSE MICE:** Apply 1 to 2 blocks per placement for controlling house mice. Space placements 2 to 4 m apart at locations with signs of house mouse activity. Two blocks may be needed at points of very high mouse activity. Maintain a constant supply of fresh bait for 15 days or until signs of house mouse activity cease.

**Follow-up:** Replace contaminated or spoiled bait immediately. Wearing chemical-resistant gloves, collect and properly dispose of dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage re-infestation, eliminate sources of rodent food, water, and harborage as much as possible. If re-infestation does occur, repeat treatment. For continuous sources of infestation, set up permanent bait stations and replenish them as needed.

#### PRECAUTIONS:

**KEEP OUT OF REACH OF CHILDREN, PETS AND LIVESTOCK.** All handlers must wear long-sleeved shirt and long pants, shoes plus socks, and chemical-resistant gloves when handling this product. Chemical-resistant

HINGE

HINGE

gloves must be worn when disposing of dead rodents, unconsumed bait and empty containers. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. **KEEP AWAY FROM FEED AND FOODSTUFFS.**

This product is toxic to fish and wildlife. Keep out of lakes, streams and ponds.

#### FIRST AID:

**IF SWALLOWED:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

For all cases of human ingestion, immediately notify a physician or poison control centre. If pet or livestock poisoning suspected, immediately contact a veterinarian.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

#### TOXICOLOGICAL INFORMATION:

Vitamin K1 in the form of intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case, measured by establishing prolonged prothrombin times (P.T.), will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

#### STORAGE:

Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals.

#### DISPOSAL:

**DO NOT** reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information

on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

#### CARCASS DISPOSAL:

To protect pets and non-target wildlife, carefully dispose of animals killed by this bait. Wrap poisoned carcasses securely with paper. Dispose of them by: placing in a closed container and taking them to a provincial or municipal landfill site OR burying deep enough to prevent scavengers from reaching them.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.