

2017-1323

2017-03-20

**KNOCK DOWN PRO 155
FARM, BARN, AND LIVESTOCK
INSECT KILLER**

(0.1% Pyrethrin from Chrysanthemum Flower Pyrethrum)

READY TO USE
LIQUID PUMP AND FOGGING SOLUTION SPRAY

AGRICULTURAL/COMMERCIAL

To control and kill: Houseflies, Horn Flies, Stable Flies, Horse Flies, Mosquitoes, Face flies, Crickets, Ants, Wasps, Blood sucking lice, Flies, Cockroaches, Hornets and Spiders

GUARANTEE:

PYRETHRIN	0.100%
PIPERONYL BUTOXIDE	1.00%

CAUTION: POISON

REG. NO. 32339 P.C.P. ACT

NET CONTENTS L
READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

KUUS INC. Value added Family products™.
450 TAPSCOTT RD UNIT 5-6
Toronto, ON M1B 1Y4
1-800-267-0455

Proudly made in Canada

www.knockdownbugs.com, www.mosquitoshield.com
Manufacturers of Mosquito Shield Insect Repellents

OPTIONAL SYMBOLS & WORDS:

- Pyrethrin from Chrysanthemum Flower Pyrethrum
- Space Spray
- All angle 360 degree spray action
- Water based
- Botanical Insecticide “Pyrethrum”

DIRECTIONS OF USE:

DO NOT USE OR STORE IN OR AROUND THE HOME.

THIS SOLUTION IS A DUAL PURPOSE FORMULATION.

KILLS ON CONTACT: Face Flies, Horse flies, Stable flies, Horn flies, House flies, Mosquitos, Crickets, Ants, Wasps, Hornets and Spiders.

For maximum effectiveness, a combination of surface spot treatment and fogging is recommended.

FOR USE AS A SPACE SPRAY (FOGGER) IN BARNS, HORSE BARNS, DAIRY AND HOG BARNS, FEED LOTS, PIGGERIES, MILK ROOMS, BEEF BARNS, HORSE STABLES AND POULTRY HOUSES. To clear areas of listed flies, mosquitoes, spiders, ants and cockroaches apply using a space sprayer (fogger) adjusted to deliver a fine mist such as Fogmaster or U.L.V. equipment which dispenses a fine mist with droplets 15-25 microns in diameter. Remove all animals at the time of spraying. Eliminate all sources of ignition. Close all windows and doors, and shut off ventilating systems and sources of ignition. Direct spray upwards to fill the room with a fine mist. Use a rate of 200–300 mL per 100 cubic metres. Leave the room closed for 15 minutes before ventilating. Do not use in dwellings. Ventilate and keep animals out of sprayed areas for 1 hour before re-entry. Sweep up dead insects. Repeat as necessary with additional spraying of breeding areas. Spray only when temperature is under 32° C. Do not use in milking parlour areas.

IT IS ALSO DESIGNED FOR USE AS A SPRAY TO PROTECT DAIRY, BEEF CATTLE, HOGS AND HORSES FROM THE ATTACK OF BITING FLIES.

FOR USE AS AN ANIMAL SPRAY TO TREAT BEEF, DAIRY CATTLE AND SWINE:

For mosquitoes, horn flies, horse flies, and stable flies –apply up to 30 mL per animal using a fine mist sprayer. Spray from a distance of at least 1 m. Cover the entire animal without making the hair wet. **DO NOT SPRAY IN EYES OR MOUTH.** Repeat as necessary, but not more than once per day. When treating dairy cattle, treat at least 20 minutes before milking and do not spray directly on udder. Wash udder before milking.

TO TREAT HORSES: For horn flies, house flies, horse flies, mosquitoes, and stable flies – apply 15 mL per animal using a fine mist sprayer. Cover the entire animal without making the hair wet.

TO CONTROL BLOOD SUCKING LICE ON CATTLE: Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat as necessary but not more than once a day.

Caution: If irritation appears, discontinue usage

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.

Wear mask or respirator when applying spray mist. Wear protective clothing. Harmful if swallowed, inhaled, or absorbed through the skin. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling and before eating and smoking. Do not breathe spray mist. If irritation appears discontinue usage. Wash contaminated clothing before reuse. Do not contaminate feed, food, or water. Do not apply directly to food, water or feed supplements. Contents toxic to fish and birds. Store in original container away from feed and food. Protect milk and milking utensils from the spray. Use only when milk room is NOT in operation. Cover or remove all milk and milking implements before spraying. After spraying, wash all surfaces that may contact milk and rinse thoroughly with potable water before resuming operations. Any treated surface that may contact food or feed products should be washed thoroughly with potable water after spraying or before re-use. Avoid contamination of aquatic systems during application. Do not contaminate these systems through direct application, disposal of waste or cleaning equipment. Wash teats of dairy animals before milking.

FIRST AID: If in eyes: hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison centre or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor.. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth., if possible. Call a poison control centre for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

DISPOSAL:

Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the empty container in accordance with provincial requirements. For information on the disposal of

unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

STORAGE: Store in a cool, dry place.

TOXICOLOGICAL INFORMATION: Treat symptomatically. Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish, birds and other wildlife. DO NOT contaminate irrigation/drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.