

INDICATIONS: Nitrofur Solution is indicated for use in the treatment of genital tract infections and impaired fertility of mares when caused by some strains of Staphylococcus, Streptococcus, E. Coli, and Salmonella when susceptible to the antimicrobial action of nitrofurazone.

DIRECTIONS: Intrauterine and Intravaginal use only. Instill 50 to 150 mL of Nitrofur into the affected area of the genital tract once daily. Continue treatment for 2 days after symptoms disappear, or until negative bacterial readings are obtained. In cases of impaired fertility, instill 50 mL into the uterus 4 to 48 hours after breeding.

ACTIVE INGREDIENT: Nitrofurazone 0.2% w/v

WARNING: Federal law prohibits the administration of this preparation to animals that produce food or that are intended for consumption as food. Keep out of reach of children.

Store between 15-30°C.

DOMINION VETERINARY LABORATORIES LTD.
1199 Sanford St., Winnipeg, Manitoba, Canada R3E 3A1
www.domvet.com 1-800-465-7122



Nitrofurazone Solution

VETERINARY USE ONLY

DIN 00603864

NET 4 LITRES


INDICATIONS: La solution Nitrofur est indiquée pour le traitement des infections du système génital et des problèmes de fertilité des juments causés par certaines souches de staphylocoque, de streptocoque, de E. coli et de salmonelle sensibles à l'action antimicrobienne de la nitrofurazone.

MODE D'EMPLOI: Usage intra-utérin et vaginal seulement. Instiller 50 - 150 mL de Nitrofur dans la région affectée des voies génitales une fois par jour. Poursuivre le traitement pendant 2 jours après la disparition des signes cliniques, ou jusqu'à l'obtention d'examen bactériologiques négatifs. Dans les cas de fertilité réduite, instiller 50 mL à l'intérieur de l'utérus de 4 à 48 heures après la fécondation.

INGRÉDIENT ACTIF: Nitrofurazone 0,2% p/v

MISE EN GARDE: En vertu des lois fédérales, il est interdit d'administrer cette préparation aux animaux qui produisent des aliments ou aux animaux destinés à être consommés comme aliments. Garder hors de portée des enfants.

Conserver entre 15°C et 30°C.



Solution de nitrofurazone

USAGE VÉTÉRINAIRE SEULEMENT

DIN 00603864

NET 4 LITRES